File No. EIT 1051

ASS f.w DEPARTMENT

K BRANCH

Travellers Bungalow Jog.

be to be supported to

from Rajas fall in Mysore State

B [K] 51

File No. EIT 1051 K

Etd. Scott. Slip. 24 A.

.R., G.D., No. 2408, dated 22-6-22.]

Correspondence

DOCKET SHEET

ubject :—

File No. ____ _____

_____ **DEPT.**

_____ **BRANCH.**

References :—

For previous c/s please see
file no 7981/36

Date.	To whom sent.	Notes and instructions.

G.R., G.D., No. 2408, dated 22-6-22.]

Correspondence

DOCKET SHEET

Subject :—

File No. _____ _____

_____ **DEPT.**

_____ **BRANCH.**

References :—

For previous c/s please see
file no 7981/36

Date	To whom sent.	Notes and instructions.

EIT 1051
~~798+136~~ | 16334

El.Br.(I) P.W.D.

Submitted with reference to the O.N. p10 dated the 15-2-51.

2. The Elect. Engr. to Govt has stated that all the three works referred to in the note p.9-10 within cannot be carried out during the current financial year. No funds are therefore required during the current year. The Fin. Deptt. may be requested to return the main papers which have been referred to that Deptt on 31-1-51 in connection with the grant of additional funds.

Thro' AB II

FINANCE DEPARTMENT
File No. L
10-3-51
35014

28/2/51

2.3.51

28/2/51

JAS

Dy 1 in Deptt. &) - B-57

Min. F.D.E.

The main case is marked for A Br. vide S.No. 32472 in this U.O. diary. This may be transferred to A Br.

Hom
28/3/51

A Br

E I

E.I. U.

E I Br I 14/4

Serial No. 32648

E I Br (I)

13.4.51

A Br Jr

Suptd. Qr

13/3/51

F.D. Br I

The case was transferred to 'C' Br on 3.2.51. This may be transferred to Br V.

AJP
3.4.51

5-4-51
Suptd.

To Br V

Mr. M/c.

Finance Deptt.
Pov. V

Finance dated 28.2.51 The Pard. pps. referred to in this note returned to that Deptt on 14.3.51. There this may also be returned to Pard in continuation.

Pard 14/

Art. XIV F.D. Pt. Section

To Pard

Pard

145

Name of work:- Providing electric installation in the Dharmashala at Jog and on the road leading to the Dharmashala and the Bungalow.

Estimate No. 792 for Rs.12239/-

Certified that the requirements of electric installation provided in the plan and estimate of Dharmashala are in accordance with the scale laid down as per para 406 of the Bombay P.W.D.Manual Vol.I, except the road lights and distribution lines which are not prescribed in the scale, but being essential are recommended.

Poona, 3rd March 1951.

Executive Engineer,
Southern Elec.Dn., Poona.

M/27.2

1612—17000—2-50.

G. P. Jamkhandi.

Post Box No.

Telephone No.

P: W. D. 608 e.

No. Kan-20, of 195 1

Office of the Superintending Engineer,

Southern Circle: 4

BELGAUM, dated 25th April 195 1

From

SUPERINTENDING ENGINEER,

Southern Circle:

To

The Chief Engineer,

Public Works Department, BOMBAY 1

Subject:— Providing electric installation in the Dharmashala at Jog & on the road leading to the Dharmashala & the Bungalow.

Reference: Govt. Letter (P.W.D) No. 7981/36-El(I) dt. the 27th November 1950.

2. According to para 3 of Government Letter referred to above I am submitting herewith plan and estimate, the latter amounting to Rs. 12,239/- for the above mentioned work for according administrative approval thereto. The plan and estimate were prepared by the Executive Engineer, Southern Electrical Division, Poona.

3. Necessary certificate regarding scale is also enclosed herewith.

D.A.:-

1 Plan)
1 Estimate)
1 Certificate.)

Superintending Engineer, S.C.

GDT/24-4.


EIR
3699.0

1-5

EIT105T

32648, 36990

P.W.D.

K. Bor.

Submitted with reference to para 3 of GL dated the 27-11-50.

2/- The SE SC has now submitted plans and estimate for providing electric installation in the Dharamshala at Joj and on the road leading to the Dharamshala and the Bangalow. The P. and E. should have been submitted through the Elect. Engr. as required by para 3 of the G.L. at p 125 ante. The papers may now be referred up. to the Elect. Engr., with a request to state whether the plans & estimate submitted by the S.E. S.C. are in order.

+ pp 145-152

+ p153

14/5/51

ELECTRICAL ENGINEER TO GOVERNMENT
Inward No. 2091
Date 7-5-51
File No. D-18
P. W. D., BOMBAY

U.O. to the El. Engr. to Govt. dt. 7th May 1951

Issue U.O.
5/5/51

D-18/1890 dt. 19/5/51

Returned with compliments

2. The plan & estimate are in order.

Electrical Engineer to Government,
P. W. D., Bombay.

EITIOC.

32648, 36990

K. Bir.

P.W.D.

Submitted with reference to para 3 of GL dated the 27-11-50.

2/- The S.E. SC. has now submitted p153 plans and estimate for providing electric installation in the Dharamshala at Jog and on the road leading to the Dharamshala and the Bangalow. The p and e should have been submitted through the Elect. Engr. as required by para 3 of the G.L. at p 125 ante. The papers may now be referred u.o. to the Elect. Engr., with a request to state whether the plans & estimate submitted by the S.E. SC are in order.

+ pp 14-15-2

14/5/57



U.O. to the El. Engr. to Govt. dt. 7th May 1957

Issue U.O.
5/5/57

with Elect Engr

D-18/1890 dt. 19/5/57.

Returned with compliments

2. The plan & estimate are in order.

Electrical Engineer to Government,
P. W. D., Bombay.


K 19/5
P. W. D.
File No. EI 1105
Serial No 43793

1612—17000—2-50.

P: W. D. 608 e.

G. P. Jamkhandi.

Post Box No.

Telephone No.

No. Kan-20, of 195 1

Office of the Superintending Engineer,

Southern Circle:

BELGAUM, dated 25th April 195 1

From

SUPERINTENDING ENGINEER,

Southern Circle:

To

The Chief Engineer,

Public Works Department, BOMBAY 1

Subject:— Providing electric installation in the Dharmashala at Jog & on the road leading to the Dharmashala & the Bungalow.

Reference: Govt. Letter (P.W.D) No. 7981/36-El(I) dt. the 27th November 1950.

2. According to para 3 of Government Letter referred to above I am submitting herewith plan and estimate, the latter amounting to Rs. 12,239/- for the above mentioned work for according administrative approval thereto. The plan and estimate were prepared by the Executive Engineer, Southern Electrical Division, Poona.

3. Necessary certificate regarding scale is also enclosed herewith.

D.A.:-

1 Plan)
1 Estimate)
1 Certificate.)

Superintending Engineer, S.C.

GDT/24-4.



27

157

EIT 1051
43793

Public Works Deptt.
'K' Br.

Submitted with reference to the O.N. p 155 dt.the 4-5-51.

2. The Electrical Engr. to Govt. has stated that the plans and estimate submitted by the S.E., S.C. for providing electric installation in the Dharamshala at Jog and on the road leading to the Dharamshala and the Bungalow are in order. The requirements of electric installation except the road lights and distribution lines are in accordance with the prescribed scale — vide certificate on p. 145 ante. The requisite administrative approval may perhaps be accorded as per draft resolution p 159 put up, after u.o.r. to the Fin.Deptt.

vide p 155 ante

Thro' B.Br., D.E.(I).

Vsm/15.6.51

15/6/57

15/6/57.

U.S.

D.S.

C.E.

16/6/57

18/6/57

Seen. U.O to the F.D. dt 19th June 1957.

692

FINANCE DEPARTMENT
III
19-6-57
Serial No 60690

Finance draft

III

The P.W.D. proposal may be agreed to

P 22/6

Dy Secy

22/6

23/6.

A.S(F)

sent — P.W.D. dt 22.6.57

EIT 1051
55528

K-Br.

P.W.D

Submitted with reference to the O.N. of the 15-6-51, overleaf.

2/ - The Fin. Deptt. has no remarks to offer. Draft Reson. put up on p 159 post many new issues, if approved

K 26/6

24/6/51

P. W. D.
File No. EIT 1051
Serial No. 55528

~~Deputy~~
Under Secy
26-6-51

Sheo Dutt
24/6/51

29/6/51

Reg
24/6

P. R.

159

ELECTRIC INSTALLATION:

- - Providing electric installation in the Dharmashala at Jog and on the road leading to the Dharmashala and the Bungalow.

Govt. of Bombay.
P. W. D. . . .
Resolution No.EIT 1051.
Bombay Castle(Bombay No.1),.
20th July 1951.

p1
Endt. No.Kan-26, dated the 21-5-1946 from the S.E.,S.C.

p25
Govt.Letter No.7981/36-M, dt. the 11-9-1948 addressed to the Chief Secy. to the Govt. of Mysore; Bangalore.

p40
Govt. Letter No.7981/36-M, dt. the 23-2-1949 to the S.E., S.C.

p47
Memo.No.HZ-6/4074, dt. the 10-3-1949 from the Electrical Commr. with the Govt. of Bombay.

p51
G.L.No.7981/36-M, dt. the 2-4-49 to the S.E., S.C.

p53
Letter No.Kan-26,dt. the 3-5-49 from the S.E., S.C.

Memo.No.H8/8117,dt. the 27-5-1949 from the Elecl.Commr. with the G. of B.

p63
G.L.No.7981/36-M, dt. the 3-6-1949 to the Chief Elecl. Engr. to the Govt. of Mysore, Bungalore.

Letter No.7004, dt. the 19-8-49 from the Chief Electrical Engr. to the Govt. of Mysore, Bangalore.

(Enter.) p69

p79
Letter No.Kan-20, dt. the 26-10-49 from the S.E., S.C.

p85
Memo.No.D-18/1190, dt. the 28-4-1950 from the Elecl. Engineer to Govt.

p89
Memo.No.T 8/5/13339,dt. the 14-6-50 from the Elecl. Commr. with the Govt. of Bombay.

G.L.No.7981/36-El(I),dt. the 27-11-1950 to the Chief Secy. to the Govt. of Mysore.

(Enter.) p115

G.L.No.7981/36-El(I),dt. the 27-11-50 to the S.E., S.C.

(Enter.) 117

p131
Letter No.Kan-20, dt. the 5-1-51, from the S.E., S.C.,

p139
Letter No.D.18/13289,dt. the 2-2-51 from the Elecl. Engr. to Govt.

Letter No.....

160

P 153

Letter No.Kan-20, dt. the 25-4-1951 from the S.E., S.C.

RESOLUTION: The work of providing 10 light points in casing with fittings and bulbs, 22 light points in G.I.pipe for ~~steel~~ Street lights with bulbs and water tight G.E.C. fittings on tubular poles with necy. O.H.B.C. & V.I R. main switch gear including earthing, in the Dharmashala at Jog and on the road leading to Dharmashala and the Bungalow at estimated cost of Rs.12239/- is approved administratively.

2. The Expenditure should be debited to the budget head "50-C.W. State Communications Ordinary" and should be met from the current years' discretionary grant of the S.E., S.C., under that head.

15/6/17

By order of the Governor of Bombay,

Under Secy. to Government.

To
The C.E., P.W.D.
The S.E., S.C.
The C.E., B.E.&C.
The Elecl.Engr. to Govt.
The Ex.Engr., Kanara Dn.
The Ex.Engr., Southern Elecl.Dn. (with ps.& es.)
The F.D.
The A.G., (thro' F.D.)

1147-152 Vsm/15.6.

Electric Installation:
Providing electric installati
the Dharmashala at Jog and or
road leading to the Dharmasha
the Bungalow.

Government of Bombay.
Public Works Department.
Resolution No. EIT 1051.
Bombay Castle (Bombay No.1)
2nd July 1951.

Endorsement No.Kan-26, dated the 21st May 1946 from the Superintending Engineer, Southern Circle.

Government Letter No.7981/36-M, dated the 11th Septembe addressed to the Chief Secretary to the Government of Mysor Bangalore

Government Letter No.7981/36-M, dated the 23rd February to the Superintending Engineer, Southern Circle

Memorandum No.HZ-6/4074, dated the 10th March 1949 fro Electrical Commissioner with the Government of Bombay.

Government Letter No.7981/36-M, dated the 2nd April 19 the Superintending Engineer, Southern Circle.

Letter No. Kan-26, dated the 3rd May 1949 from the Sup ding Engineer, Southern Circle.

Memorandum No. H8/8117, dated the 27th May 1949 from Electrical Commissioner with the Government of Bombay

Government Letter No.7981/36-M, dated the 3rd June 19 the Chief Electrical Engineer to the Government of Mysore Bangalore.

Letter No.7004, dated the 19th August 1949 from the Electrical Engineer to the Government of Mysore, Bangalor

Letter No.Kan-20, dated the 26th October 1949 from th Superintending Engineer, Southern Circle.

Memorandum No.D-18/1190, dated the 28th April 1950 fr the ~~Xxxxxx~~ Electrical Engineer to Government.

Memorandum No.T 8/5/13339, dated the 14th June 1950. the Electrical Commissioner~~xxxx~~ with the Government of B

Government Letter No.7981/36-El(I), dated the 27th November 1950 to the Chief Secretary to the Government

Government Letter No.7981/36-El(I), dated the 27th 1950 to the Superintending Engineer, Southern Circle.

Letter No.Kan-20, dated the 5th January 1951, from Superintending Engineer. Southern Circle.

Letter No.D.18/13289, dated the 2nd February 1951 Electrical Engineer to Government.

Letter No. Kan-20, dated the 25th April 1951 from Superintending Engineer, Southern Circle.

RESOLUTION: The work of providing 10 light poi casing with fittings and bulbs, 22 light points in G.

for

for street lights with bulbs and ~~xxxxx~~ water tight G.E.C.fittings on tabular poles with necessary O,H.B.C. and V.I.R.main switch gear including earthing, in the Dharmashala at Jog and on the road leading to Dharmashala and the Bungalow at an estimated cost of Rs. 12,239/- is approved administratively.

2. The expenditure should be debited to the budget head "50-Civil Works - State Communications Ordinary" and should be met from the current year's discretionary grant of the Superintending Engineer, Southern Circle, under that head.

By order of the Governor of Bombay,

(V. W. Gothoskar)

Under Secretary to Government.

G.R., No.EIT 1051, P.W.D., dated the 2nd July 1951.

The Chief Engineer, Public Works Department.
The Chief Engineer, Bombay Electric Grid.
The Superintending Engineer, Southern Circle.
The Electrical Engineer to Government.
The Executive Engineer, Kanara Division.
The Executive Engineer, Southern Electrical Division (with plans and estimates).
The Finance Department.
The Accountant General, Bombay (through the Finance Department.

VMW.
2/7/51.

ISSUED 'C' class (with Ps. & es.) 5/7/51

No. of 1951.

Copy forwarded for information and guidance to.

Orders issued after consultation with Finance Department.
Note ... with this Department and can be ...

163 EIT 1051/55528

K.B. P.W.D.

The S.E; S.C. expedited for reply with reference to para 6 of G.L No 7981/36-E1(I), dated 1941-25-26 27-11-50 27-7-51, under No EIT 1051K, dt 8-10-51



6/10/51

Supdt

19,041
12,287
31,328

EIT 1051/55528. 164.

K Br. P.W.D.

Resubmitted. pp. 125-126.

2. Please see G.L. No. 7981/36-El(I), dt. the 27-11-50, in connection with the work of providing electric installation and pumping set at the Travellers' Bungalow, Joj, at an estimated cost of Rs. 3,575/- and Rs. 15,466/- respectively, and G.R. No. EIT 1051, pp 161-162 dt. the 2-7-51, in connection with the work of providing electric installation in the Sharamshala and on the road leading to the Sharam-shala and the Bungalow at Joj at an estimated cost...

cost of Rs. 12,239/-.

3. The S. E., S. C., has separately proposed a new item for an amount of Rs. 31,280/- for all the three works mentioned in the G. O. and G. R. quoted in para. 2 above. Since the above-mentioned enbworks form part of a major work, fresh orders incorporating those is sued in the G. O. and G. R. under reference will have to be issued.

4. Attention in invited to para. 3 of G. O. No. 7981/36-El(I), dt. the 27-11-50, addressed to the Chief Secy. to the Govt. of Mysore. It is for consideration whether the intimation promised therein may be given after the item is finally admitted for inclusion in the budget for the year 1952-53 or whether it should be given earlier.

5. The draft G. R. just up may issue, if approved. These papers may be shown up to the F.D. after issue of the draft.

12-11-51.

Thro' B Br.

6. The item is being proposed as a new major work for the next year's budget estimates under "Sources." A distinction may be given after the item is admitted.

D. S. (I & E) 12-11-51

Secy.

01-12-51

Providing electric installation in the Travellers Bungalow, in the Dharamshala and on the road leading to the Dharamshala and the Bungalow and a pumping set at the Travellers' Bungalow, Jogeshwari.

Govt. of Bombay.
P. W. D.
Resolution No. EIT1051.
B. C. (Bombay No. 1).
16th November, 1951.

Pp. 125-126.

G. C., P. W. D., No. 7981/36-Cl (I), 27-11-50, to the S. E., S. C.

Pp. 161-162.

G. R., P. W. D., No. EIT1051, dt. 7-5-51.

Resolution :- Administrative approval is accorded to the following three sub-works at Jogeshwari at the cost shown against each of them :-

Name of ~~work~~ Subwork	Estimated Cost Rs.
...ing 34 light points with fittings, and 1 ceiling fan point, 7 plug points 1 plug point 3 pin, 1 ceiling fan, ...ans, 1 hand lamp and other ...y mains and D. B. O at the ...rs' Bungalow.	3,575/

EIT 1051/55520

(2). Providing electrically operated duplicate pump sets, one as standby, complete with foot-valve, sluice valves, suction pipe 2½" delivery pipe & necessary mains and controlling apparatus for pumping water from the river bed to the bungalow compound and also one light point complete with fittings and bulbs and one fly point and one Land Lamp together with necessary mains and D. P. at the Bungalow. 15,466/-

(3). Providing 10 light points in casing with fittings and bulbs, 22 light points in G. I. pipe for street lights with bulbs and water-tight G. E. C. fittings on tubular poles with necessary O. H. B. C. and V. I. R. main switch gear including earthing in the Dharamshala and on the road leading to the Dharamshala and the Bungalow.

P. 12 S. 12,239/-.

2. The orders issued in para. 2 of G. C., P. W. D., No. 125-126. No. 7981/36-El.(I), dt. the 27-11-50, to the S. E., S. C., and in G. R., P. W. D., No. EIT 1051, dt. the 2-7-51, should be treated as cancelled. F. 1-162.

3. The item should be put up as a new major work for the budget ests. for 1952-53 under the head "50 — C. W. — State Comms — Addl."

By order etc.

Dtd. to Asstt. Engr.

E.I.T. 10 51/55528

To

The F.D.
The C.E., P.W.D.
The C.E., B.E.G.

The J.E. S.C.

The Elect. Engr. to Govt.

The Ex. Engr., Kanara Dn.

The Ex. Engr., Poona Elect. Dn.

The A.G., Bombay

12-11-51.

12/11/51

Shri Mane (Ronco)
16/x

L74

For further orders, Pl. see Cancellation G.R. P.W.D. No: EIT 2152, dated the 26-3-1953 (W.Rep.)

"Providing electric installation in the Travellers' Bungalow, in the Dharamshala and on the road leading to the Dharamshala and the Bungalow and a pumping set at the Travellers' Bungalow, Jog.

Government of Bombay.
Public Works Department.
Resolution No. EIT 1051.
Bombay Castle (Bombay No.1)
16th November 1951.

Government Letter, Public Works Department, No. 7981/36-E1(I), dated the 27th November 1950, to the Superintending Engineer, Southern Circle.

Government Resolution, Public Works Department, No. EIT 1051, dated the 2nd July 1951

RESOLUTION: Administrative approval is accorded to the following three sub-works at Jog at the cost shown against each of them :-

Name of sub-work.	Estimated cost Rs.
(1) Providing 34 light points with fittings and bulbs, 1 ceiling fan point, 7 plug points 2 pin, 1 plug point 3 pin, 1 ceiling fan, 2 table fans, 1 hand lamp and other necessary mains and D.B.'s at the Travellers' Bungalow.	3,575/- Cancelled - Pl. see G.R. No. EIT 2152, dt. the 26-3-53
(2) Providing electrically operated duplicate pump sets, one as standby, complete with foot-valve, sluice valves, section pipe 2 1/2", delivery pipe 2" necessary mains and controlling apparatus for pumping water from the river bed to the bungalow compound and also one light point complete with fitting and bulbs and one plug point and one hand lamp together with necessary mains and D.Ps. at the Bungalow.	15,466/-
(3) Providing 10 light points in casing with fittings and bulbs, 22 light points in G.I.Pipe for street lights with bulbs and water-tight G.E.C. fittings on tabular poles with necessary O.H.B.C. and V.I.R. main switch gear including earthing in the Dharmashalal and on the road leading to the Dharamshala and the Bungalow.	12,239/-

2. The orders issued in paragraph 2 of Government Circular, Public Works Department, No. 7981/36-E1(I), dated the 27th November 1950, to the Superintending Engineer, Southern Circle, and in Government Resolution, Public Works Department, No. EIT 1051, dated the 2nd July 1951, should be treated as cancelled.

By order of the Governor of Bombay,

(V. W. Gothoskar)
Deputy Secretary to Government. 2 pps.

To
The Finance Department.
The Chief Engineer, Public Works Department
The Chief Engineer, Bombay Electric Grid.
The Superintending Engineer, ~~Bombay Electric Grid~~ Southern Circle
The Electrical Engineer to Government.
The Executive Engineer, Kanara Division
The Executive Engineer, Poona Electrical Division.
The Accountant-General, Bombay.

ED
1/37
16.11.51

CLASS 'C'.

No. 1951

Copy forwarded for information and guidance to -

Shri Nagkumar (Phulpur) ji
23/11

X.
23/11

EIT 1051/5552

P.W.D.

K Br.

Resubmitted
P.171.
2. G.R. No. EIT 1051, dt. the 16-11-51, having issued, these papers may now be shown up to the F.D. as proposed in para. 5 P.165. of the o.n. dt. the 12-11-51.

24-11-51.

A.A.S. Up to the F.D. of the 26-11-51

Up to F.D.



Finance Department, (III)

Seen and returned to the P.W.D.

27.11.51

2. The work in question has already been included by the P.W.D. in the list of new major works for the year 1952-53

11-12-51.

D Secy 13/12

14/12/51

Up to the P.W.D. dt. 15.12.51.

E.I.T 1051/110 540. 17

K Br. P.W.D.

Submitted with ref. to the office notes dt. the pp 164-165 p.173 12-11-51 and 24-11-51.

2. The F.D. having seen these papers, no further action seems to be necessary for the present except in connection with expediting the S.E, S.C., pp.125-126. with ref. to para. 6 of G.L. No. 7981/36-El(I), dt. the 27-11-50. He was last expedited under No. EIT1051K, dt. the 8-10-51, vide the O.n. dt. the 6-10-51. He p.163. is expedited again under No. EIT1051/~~110-540~~K/2, dt. the 27-12-51.

27/12/51

26-12-51.

Issue expdd 27/12/51

Issued 27/12-51 Asst

Supdt.

Rect till 22-1-52 28/12/51

Shri Nad 15/2/52

K Br. P.W.D.

Resubmitted.

2. The S.E. S.C., is again expedited with ref. pp.125-126. p.126 to para. 6 of G.L. No. 7981/36-El(I), dt. the 27-10-50, under No. EIT1051K/3, dt. the 19-2-52

Shri Nad 11/12/51

EIT 1051 11/5/48

18-2-52.

18/2/52

Rect till 20-2-52 20/2/52

Issue expdd 18/2/52

Issued 19/2/52

K

17-1-52

Supdt.

EIT 1051/110548.

For further papers, please see file Nr. EIT 1052/23273.

Rec'd 23/11